

## Claims

### I Claim:

1. A display device, comprising:

a unitary, rigid sheet comprising a left center panel, a  
5 right center panel directly or indirectly pivotally coupled to  
said left center panel, a left side panel pivotally connected to  
said left center panel and a right side panel pivotally connected  
to said right center panel.

2. The display device of claim 1, wherein said sheet has a  
10 rear planar layer and an opposed front planar layer, said rear  
planar layer having a plurality of spaced-apart, parallel,  
vertically extending separation lines to separate said panels  
from one another along said rear planar layer and enable said  
panels to pivot about vertical axes.

15 3. The display device of claim 2, wherein said separation  
lines extending vertically from a lower edge of said sheet to an  
upper edge of sheet.

4. The display device of claim 3, wherein corners of said  
rear planar layer defined by said upper and lower edges and said  
20 separation lines are rounded.

5. The display device of claim 2, wherein said separation lines constitutes cuts in said rear planar layer.

6. The display device of claim 2, wherein said separation lines constitutes a crushed, elongate portion of said rear planar layer which is melted onto said front planar layer.

7. The display device of claim 2, wherein said front planar layer includes fold lines formed opposite said separation lines, said fold lines defining the vertical axes about which said panels pivot.

8. The display device of claim 7, wherein said fold lines are scored.

9. The display device of claim 1, wherein said left side panel has a smaller width than said left center panel and said right side panel has a smaller width than said right center panel.

10. The display device of claim 1, wherein said sheet is formed from opposed substantially planar layers of material connected by parallel ribs to define cavities.

11. The display device of claim 10, wherein said ribs extend vertically.

12. The display device of claim 10, wherein said ribs extend horizontally.

5        13. The display device of claim 1, wherein said sheet has a rear planar layer and an opposed front planar layer, said rear planar layer having at least one horizontally extending separation line to separate said sheet into vertical sections and enable said vertical section to pivot about a horizontal axis.

10        14. The display device of claim 1, further comprising attachment means for maintaining said sheet in a folded, compact configuration with planar surfaces of said panels facing one another.

15        15. The display device of claim 14, wherein said attachment means comprise one of hook and loop-type fasteners arranged on a planar surface of said left side panel and the other of hook and loop-type fasteners arranged on a planar surface of said right side panel facing said planar surface of said left side panel with said sheet is in the folded, compact configuration.

16. The display device of claim 1, further comprising attachment means for enabling said sheet to be attached to another similar sheet.

17. The display device of claim 16, wherein said attachment means comprise one of hook and loop-type fasteners arranged on at least one of said panels.

18. The display device of claim 16, wherein said attachment means comprise pegs insertable into cavities formed in upper and lower edges of at least one of said panels.

19. The display device of claim 1, further comprising an additional unitary, rigid sheet substantially coextensive with said sheet.

20. The display device of claim 1, wherein said sheet is corrugated.

21. The display device of claim 1, wherein said sheet is solid.

22. The display device of claim 1, further comprising a spine panel arranged between and pivotally connected to both said

left and right center panels.

23. The display device of claim 1, wherein said sheet has a rear planar layer and an opposed front planar layer, said rear planar layer having at least one vertically extending separation line and said front planar layer including at least one fold line  
5 opposite to a respective one of said at least one separation line.

24. The display device of claim 1, wherein said sheet has a rear planar layer and an opposed front planar layer, said rear  
10 planar layer having a plurality of parallel, spaced-apart vertically extending separation line and said front planar layer including fold lines each opposite a respective one of said separation lines.

25. The display device of claim 24, wherein said separation  
15 lines and said fold lines are formed to enable said sheet to fold into a W-shaped configuration.

26. The display device of claim 1, wherein said right center panel is indirectly pivotally coupled to said left center panel via a spine panel.